
EVERETT STEEL COMPANIES

STANDARD I BEAMS

ASTM A-36 and A-572 grade 50
Stock Lengths – 20, 40, 60 Feet



Size	Weight	Flange Width	Flange Thickness	Web Thickness
3	5.7	2.33	.260	.170
	7.5	2.51	.260	.349
4	7.7	2.66	.293	.190
	9.5	2.80	.293	.326
5	10.0	3.00	.326	.210
	14.75	3.28	.326	.494
6	12.5	3.33	.359	.230
	17.25	3.57	.359	.465
7	15.3	3.66	.392	.250
8	18.4	4.00	.425	.270
	23.0	4.17	.425	.441
10	25.4	4.66	.491	.310
	35.0	4.94	.491	.594
12	31.8	5.00	.544	.350
	35.0	5.08	.544	.428
	40.8	5.25	.659	.460
	50.0	5.48	.659	.687
15	42.9	5.50	.622	.410
	50.0	5.64	.622	.550
18	54.7	6.00	.691	.460
20	65.4	6.25	.789	.500
24	79.9	7.00	.871	.500
	100.9	7.25	.871	.747
