




EVERETT STEEL

STRUCTURAL ANGLES

Stock Lengths - 20, 40 Feet

ASTM A-36



SIZE (inches)	Weight lbs/Ft	Weight 20' Bar
3 x 2 x 3/16	3.07	61.4
3 x 2 x 1/4	4.10	82.0
3 x 2 x 5/16	5.00	100.0
3 x 2 x 3/8	5.90	118.0
3 x 2 x 1/2	7.70	154.0
3 x 2-1/2 x 1/4	4.50	90.0
3 x 2-1/2 x 5/16	5.60	112.0
3 x 2-1/2 x 3/8	6.60	132.0
3 x 2-1/2 x 1/2	8.50	170.0
3 x 3 x 3/16	3.71	74.2
3 x 3 x 1/4	4.90	98.0
3 x 3 x 5/16	6.10	122.0
3 x 3 x 3/8	7.20	144.0
3 x 3 x 1/2	9.40	188.0
3-1/2 x 2-1/2 x 1/4	4.90	98.0
3-1/2 x 2-1/2 x 5/16	6.10	122.0
3-1/2 x 2-1/2 x 3/8	7.20	144.0
3-1/2 x 2-1/2 x 1/2	9.40	188.0
3-1/2 x 3 x 1/4	5.40	108.0
3-1/2 x 3 x 5/16	6.60	132.0
3-1/2 x 3 x 3/8	7.90	158.0
3-1/2 x 3 x 7/16	9.10	182.0
3-1/2 x 3 x 1/2	10.20	204.0
3-1/2 x 3-1/2 x 1/4	5.80	116.0
3-1/2 x 3-1/2 x 5/16	7.20	144.0
3-1/2 x 3-1/2 x 3/8	8.50	170.0
3-1/2 x 3-1/2 x 1/2	11.10	222.0




EVERETT STEEL

STRUCTURAL ANGLES

Stock Lengths - 20, 40 Feet

ASTM A-36



SIZE (inches)	Weight lbs/Ft	Weight 20' Bar
4 x 3 x 1/4	5.80	116.0
4 x 3 x 5/16	7.20	144.0
4 x 3 x 3/8	8.50	170.0
4 x 3 x 7/16	9.80	196.0
4 x 3 x 1/2	11.10	222.0
4 x 3 x 5/8	13.60	272.0
4 x 3-1/2 x 1/4	6.20	124.0
4 x 3-1/2 x 5/16	7.70	154.0
4 x 3-1/2 x 3/8	9.10	182.0
4 x 3-1/2 x 7/16	10.60	212.0
4 x 3-1/2 x 1/2	11.90	238.0
4 x 3-1/2 x 5/8	14.70	294.0
4 x 4 x 1/4	6.60	132.0
4 x 4 x 5/16	8.20	164.0
4 x 4 x 3/8	9.80	196.0
4 x 4 x 7/16	11.30	226.0
4 x 4 x 1/2	12.80	256.0
4 x 4 x 5/8	15.70	314.0
4 x 4 x 3/4	18.50	370.0
5 x 3 x 1/4	6.60	132.0
5 x 3 x 5/16	8.20	164.0
5 x 3 x 3/8	9.80	196.0
5 x 3 x 1/2	12.80	256.0
5 x 3-1/2 x 1/4	7.00	140.0
5 x 3-1/2 x 5/16	8.70	174.0
5 x 3-1/2 x 3/8	10.40	208.0
5 x 3-1/2 x 7/16	12.00	240.0




EVERETT STEEL

STRUCTURAL ANGLES

Stock Lengths - 20, 40 Feet

ASTM A-36



SIZE (inches)	Weight lbs/Ft	Weight 20' Bar
5 x 3-1/2 x 1/2	13.60	272.0
5 x 3-1/2 x 5/8	16.80	336.0
5 x 3-1/2 x 3/4	19.80	396.0
5 x 5 x 5/16	10.30	206.0
5 x 5 x 3/8	12.30	246.0
5 x 5 x 1/2	16.20	324.0
5 x 5 x 5/8	20.00	400.0
5 x 5 x 3/4	23.60	472.0
6 x 3-1/2 x 1/4	7.90	158.0
6 x 3-1/2 x 5/16	9.80	196.0
6 x 3-1/2 x 3/8	11.70	234.0
6 x 3-1/2 x 1/2	15.30	306.0
6 x 4 x 5/16	10.30	206.0
6 x 4 x 3/8	12.30	246.0
6 x 4 x 7/16	14.30	286.0
6 x 4 x 1/2	16.20	324.0
6 x 4 x 5/8	20.00	400.0
6 x 4 x 3/4	23.60	472.0
6 x 4 x 7/8	27.20	544.0
6 x 6 x 5/16	12.50	250.0
6 x 6 x 3/8	14.90	298.0
6 x 6 x 7/16	17.20	344.0
6 x 6 x 1/2	19.60	392.0
6 x 6 x 5/8	24.20	484.0
6 x 6 x 3/4	28.70	574.0
6 x 6 x 7/8	33.10	662.0
6 x 6 x 1	37.40	748.0




EVERETT STEEL

STRUCTURAL ANGLES

Stock Lengths - 20, 40 Feet

ASTM A-36



SIZE (inches)	Weight lbs/Ft	Weight 20' Bar
7 x 4 x 3/8	13.60	272.0
7 x 4 x 7/16	15.80	316.0
7 x 4 x 1/2	17.90	358.0
7 x 4 x 5/8	22.10	442.0
7 x 4 x 3/4	26.20	524.0
8 x 4 x 7/16	17.20	344.0
8 x 4 x 1/2	19.60	392.0
8 x 4 x 5/8	24.20	484.0
8 x 4 x 3/4	28.70	574.0
8 x 6 x 1/2	23.00	460.0
8 x 6 x 9/16	25.70	514.0
8 x 6 x 5/8	28.50	570.0
8 x 6 x 3/4	33.80	676.0
8 x 6 x 1	44.20	884.0
8 x 8 x 1/2	26.40	528.0
8 x 8 x 5/8	32.70	654.0
8 x 8 x 3/4	38.90	778.0
8 x 8 x 7/8	45.00	900.0
8 x 8 x 1	51.00	1020.0