


EVERETT STEEL COMPANIES

WIDE FLANGE BEAM

Stock Lengths -
20, 30, 40, 50, 60 Feet



Size	Weight Per Foot	Depth of Section	Flange Width	Flange Thickness	Web Thickness
4	13.0	4.16	4.060	.371	.280
5	16.0	5.01	5.000	.360	.240
	19.0	5.15	5.030	.430	.270
6	9.0	5.90	3.940	.215	.170
	12.0	6.03	4.000	.280	.230
	15.0	5.99	5.990	.260	.230
	16.0	6.28	4.030	.405	.260
	20.0	6.20	6.020	.365	.260
	25.0	6.38	6.080	.455	.320
8	10.0	7.89	3.940	.205	.170
	13.0	7.99	4.000	.255	.230
	15.0	8.11	4.015	.315	.245
	18.0	8.14	5.250	.330	.230
	21.0	8.28	5.270	.400	.250
	24.0	7.93	6.495	.400	.250
	28.0	8.06	6.535	.465	.285
	31.0	8.00	7.995	.435	.285
	35.0	8.12	8.020	.495	.310
	40.0	8.25	8.070	.560	.360
	48.0	8.50	8.110	.685	.400
	58.0	8.75	8.220	.810	.510
	67.0	9.00	8.280	.935	.570
10	12.0	9.87	3.930	.210	.190
	15.0	9.99	4.000	.270	.230
	17.0	10.11	4.010	.330	.240
	19.0	10.24	4.020	.395	.250
	22.0	10.17	5.750	.360	.240
	26.0	10.33	5.770	.440	.260
	30.0	10.47	5.810	.510	.300
	33.0	9.73	7.960	.435	.290
	39.0	9.92	7.985	.530	.315
	45.0	10.10	8.020	.620	.350
	49.0	9.98	10.000	.560	.340
	54.0	10.09	10.030	.615	.370
	60.0	10.22	10.080	.680	.420
	68.0	10.40	10.130	.770	.470
	77.0	10.60	10.190	.870	.530
	88.0	10.84	10.265	.990	.605
	100.0	11.10	10.340	1.120	.680
	112.0	11.36	10.415	1.250	.755

EVERETT STEEL COMPANIES

WIDE FLANGE BEAM

Stock Lengths – 20, 30, 40, 50, 60 Feet



Size	Weight Per Foot	Depth of Section	Flange Width	Flange Thickness	Web Thickness
12	14.0	11.91	3.970225200
	16.0	11.99	3.990265220
	19.0	12.16	4.005350235
	22.0	12.31	4.030425260
	26.0	12.22	6.490380230
	30.0	12.34	6.520440260
	35.0	12.50	6.560520300
	40.0	11.94	8.005515295
	45.0	12.06	8.045575335
	50.0	12.19	8.080640370
	53.0	12.06	9.995575345
	58.0	12.19	10.010640360
	65.0	12.12	12.000605390
	72.0	12.25	12.040670430
	79.0	12.38	12.080735470
	87.0	12.53	12.125810515
	96.0	12.71	12.160900550
	106.0	12.89	12.220990610
	120.0	13.12	12.320	1.105710
	136.0	13.41	12.400	1.250790
	152.0	13.71	12.480	1.400870
	170.0	14.03	12.570	1.560960
	190.0	14.38	12.670	1.735	1.060
14	22.0	13.74	5.000335230
	26.0	13.91	5.025420255
	30.0	13.84	6.730385270
	34.0	13.98	6.745455285
	38.0	14.10	6.770515310
	43.0	13.66	7.995530305
	48.0	13.79	8.030595340
	53.0	13.92	8.060660370
	61.0	13.89	9.995645375
	68.0	14.04	10.035720415
	74.0	14.17	10.070785450
	82.0	14.31	10.130855510
	90.0	14.02	14.520710440
	99.0	14.16	14.565780485
	109.0	14.32	14.605860525
	120.0	14.48	14.670940590
	132.0	14.66	14.725	1.030645
	145.0	14.78	15.500	1.090680
	159.0	14.98	15.565	1.190745
	176.0	15.22	15.650	1.310830
	193.0	15.48	15.710	1.440890
	211.0	15.72	15.800	1.560980

EVERETT STEEL COMPANIES

WIDE FLANGE BEAM

Stock Lengths – 20, 30, 40, 50, 60 Feet



Size	Weight Per Foot	Depth of Section	Flange Width	Flange Thickness	Web Thickness
	233.0	16.04	15.890	1.720	1.070
	257.0	16.38	15.995	1.890	1.175
	283.0	16.74	16.110	2.070	1.290
	311.0	17.12	16.230	2.260	1.410
	342.0	17.54	16.360	2.470	1.540
	370.0	17.92	16.475	2.660	1.655
	398.0	18.29	16.590	2.845	1.770
16	26.0	15.69	5.500	.345	.250
	31.0	15.88	5.525	.440	.275
	36.0	15.86	6.985	.430	.295
	40.0	16.01	6.995	.505	.305
	45.0	16.13	7.035	.565	.345
	50.0	16.26	7.070	.630	.380
	57.0	16.43	7.120	.715	.430
	67.0	16.33	10.235	.665	.395
	67.0	16.33	10.235	.665	.395
	77.0	16.52	10.295	.760	.455
	89.0	16.75	10.365	.875	.525
	100.0	16.97	10.425	.985	.585
18	35.0	17.70	6.000	.425	.300
	40.0	17.90	6.015	.525	.315
	46.0	18.06	6.060	.605	.360
	50.0	17.99	7.495	.570	.355
	55.0	18.11	7.530	.630	.390
	60.0	18.24	7.555	.695	.415
	65.0	18.35	7.590	.750	.450
	71.0	18.47	7.635	.810	.495
	76.0	18.21	11.035	.680	.425
	86.0	18.39	11.090	.770	.480
	97.0	18.59	11.145	.870	.535
	106.0	18.73	11.200	.940	.590
	119.0	18.97	11.265	1.060	.655
21	44.0	20.66	6.500	.450	.350
	50.0	20.83	6.530	.535	.380
	57.0	21.06	6.555	.650	.405
	62.0	20.99	8.240	.615	.400
	68.0	21.13	8.270	.685	.430
	73.0	21.24	8.295	.740	.455
	83.0	21.43	8.355	.835	.515
	93.0	21.62	8.420	.930	.580
	101.0	21.36	12.290	.800	.500
	111.0	21.51	12.340	.875	.550
	122.0	21.68	12.390	.960	.600
	132.0	21.83	12.440	1.035	.650
	147.0	22.06	12.510	1.150	.720

EVERETT STEEL COMPANIES

WIDE FLANGE BEAM

Stock Lengths – 20, 30, 40, 50, 60 Feet



Size	Weight Per Foot	Depth of Section	Flange Width	Flange Thickness	Web Thickness
24	55.0	23.57	7.005	.505	.395
	62.0	23.74	7.040	.590	.430
	68.0	23.73	8.965	.585	.415
	76.0	23.92	8.990	.680	.440
	84.0	24.10	9.020	.770	.470
	94.0	24.31	9.065	.875	.515
	104.0	24.06	12.750	.750	.500
	117.0	24.26	12.800	.850	.550
	131.0	24.48	12.855	.960	.605
	146.0	24.74	12.900	1.090	.650
27	162.0	25.00	12.955	1.220	.705
	84.0	26.71	9.960	.640	.460
	94.0	26.92	9.990	.745	.490
	102.0	27.09	10.015	.830	.515
	114.0	27.29	10.070	.930	.570
	146.0	27.38	13.965	.975	.605
	161.0	27.59	14.020	1.080	.660
	178.0	27.81	14.085	1.190	.725
30	99.0	29.65	10.450	.670	.520
	108.0	29.83	10.475	.760	.545
	116.0	30.01	10.495	.850	.565
	124.0	30.17	10.515	.930	.585
	132.0	30.31	10.545	1.000	.615
	173.0	30.44	14.985	1.065	.655
	191.0	30.68	15.040	1.185	.710
	211.0	30.94	15.105	1.315	.775
33	118.0	32.86	11.480	.740	.550
	130.0	33.09	11.510	.855	.580
	141.0	33.30	11.535	.960	.605
	152.0	33.49	11.565	1.055	.635
	201.0	33.68	15.745	1.150	.715
	221.0	33.93	15.805	1.275	.775
36	241.0	34.18	15.860	1.400	.830
	135.0	35.55	11.950	.790	.600
	150.0	35.85	11.975	.940	.625
	160.0	36.01	12.000	1.020	.650
	170.0	36.17	12.030	1.100	.680
	182.0	36.33	12.075	1.180	.725
	194.0	36.49	12.115	1.260	.765
	210.0	36.69	12.180	1.360	.830
	230.0	35.90	16.470	1.260	.760
	245.0	36.08	16.510	1.350	.800
	260.0	36.26	16.550	1.440	.840
	280.0	36.52	16.595	1.570	.885
300.0	36.74	16.655	1.680	.945	